

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	17	(cycle period) with (counter log timer calculate) with (jump adj (address location place))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/27 12:47
L2	4	(cycle period) with (counter log timer calculate) with (jump adj (address location place)) same (table buffer map\$4 classif\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/27 12:56
L3	1	(US-4326247-\$).did.	USPAT	OR	ON	2008/01/27 14:05
L4	1	3 and bit with cycle	USPAT	OR	ON	2008/01/27 14:06
L5	1	3 and bit same cycle	USPAT	OR	ON	2008/01/27 14:17
L6	3	(cycle period) with (counter log timer calculate) with (jump adj (address location place)) same (table buffer map\$4 classif\$6) and bit same cycle	USPAT	OR	ON	2008/01/27 14:22
L7	3	(cycle period) with (counter log timer calculate) with (jump adj (address location place)) same (table buffer map\$4 classif\$6) and bit same (cycle near4 counter)	USPAT	OR	ON	2008/01/27 15:10
L8	3	(cycle period) with (counter log timer calculate) with (jump adj (address location place)) same (table buffer map\$4 classif\$6) and bit same (cycle near2 counter)	USPAT	OR	ON	2008/01/27 15:10
L9	1	3 and cycle near2 counter	USPAT	OR	ON	2008/01/27 15:22
L10	1	3 and cycle adj counter	USPAT	OR	ON	2008/01/27 15:32
S1	83	(data adj telegram)	USPAT	OR	OFF	2008/01/11 12:15
S2	0	(data adj telegram) with identifier with control with reference	USPAT	OR	OFF	2008/01/11 12:17
S3	0	(data adj telegram) with identifier with control	USPAT	OR	OFF	2008/01/11 12:18
S4	0	(data adj telegram) with identifier	USPAT	OR	OFF	2008/01/11 12:18
S5	0	(data adj telegram) same identifier	USPAT	OR	OFF	2008/01/11 12:18
S6	0	(data adj telegram) and identifier	USPAT	OR	OFF	2008/01/11 12:18
S7	2807496	(data) with identifier reference	USPAT	OR	OFF	2008/01/11 12:23
S8	0	(data) with identifier with reference	USPAT	OR	OFF	2008/01/11 12:23

EAST Search History

S9	1	(data) same identifier same reference	USPAT	OR	OFF	2008/01/11 12:24
S10	492	(data adj telegram)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 12:25
S11	0	(data adj telegram) with identifier with control with reference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 12:25
S12	0	(data adj telegram) with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 12:25
S13	0	(data adj telegram) same identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 12:25
S14	0	(data) with identifier with reference	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 12:26
S15	1	(data) with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/11 12:26

EAST Search History

S16	51	((("4415792") or ("4451108") or ("4455483") or ("4502082") or ("4796260") or ("4972474") or ("5177796") or ("5274508") or ("5280584") or ("5303393") or ("5319395") or ("5321699") or ("5365516") or ("5377102") or ("5382508") or ("5386422") or ("5388074") or ("5440686") or ("5469444") or ("5477492") or ("5481531") or ("5506965") or ("5507024") or ("5511212") or ("5526357") or ("5537945") or ("5561671") or ("5583975") or ("5657398") or ("5684693") or ("5684774") or ("5724241") or ("5742509") or ("5764691") or ("5784366") or ("5805155") or ("5831903") or ("5841717") or ("5848072") or ("5877742") or ("5894494") or ("5909435") or ("5917429") or ("5999562") or ("6072185") or ("6178121") or ("6181609") or ("6237122") or ("6243348") or ("6249824"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/11 12:26
S17	50	S16 and data	USPAT	OR	OFF	2008/01/11 12:28
S18	18	S16 and data with ident\$4	USPAT	OR	OFF	2008/01/11 12:30
S19	0	S16 and data with ident\$4 with record with assignment	USPAT	OR	ON	2008/01/11 12:34
S20	8	data with ident\$4 with record with assignment	USPAT	OR	ON	2008/01/11 12:34
S21	1	((transmission TX) adj list) with (check adj data adj record)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/12 17:54
S22	1	((transmission TX) adj list) with (check adj data adj record)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 17:55
S23	6899	(370/420,421,428,425,385,422,342,355.3,345.31,355.54).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/22 10:46

EAST Search History

S24	29741	(packet datagram telegram message) same ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 10:47
S25	492	S23 and S24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 10:48
S26	6899	(370/420,421,428,425,385,422,342,355.3,345.31,355.54).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/22 16:20
S27	29741	(packet datagram telegram message) same ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:20
S28	492	S26 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:21
S29	386	S28 and identif\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:24
S30	228	S29 and @ad<"20011017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:25

EAST Search History

S31	209	S30 and field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:25
S32	18588	(packet datagram telegram message) with ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:26
S33	354	S26 and S32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:26
S34	273	S33 and identif\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:26
S35	252	S34 and field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:26
S36	154	S35 and @ad<"20011017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:27
S37	17	S36 and traffic with management	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:39

EAST Search History

S38	3	"2002064157"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:41
S39	1	"2002527972"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:41
S40	0	WO/2002/043336	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:47
S41	3	"2002043336"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 16:47
S42	2	"20040264378"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/22 17:14
S43	1	("4581734").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/23 08:35
S44	2	((("4581734") or ("6167471"))).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/23 08:41
S45	12	((DIETER) near2 (BRUECKNER)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/23 08:52

EAST Search History

S46	21	((DIETER) near2 (KLOTZ)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/23 08:52
S47	26	((KARL-HEINZ) near2 (KRAUSE)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/01/23 08:52
S48	2	(("5654969") or ("5327428")).PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/23 09:01
S49	4	S44 or S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 09:06
S50	2	S49 and (packet message data datagram frame cell) with(identifier id identification\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 09:17
S51	1	S49 and (packet message data datagram frame cell) with(identifier id identification\$1) with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 09:19
S52	69221	(packet message data datagram frame cell) with(identifier id identification\$1) with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 09:26
S53	8938	S52 and (real-time non-realtime)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 09:26

EAST Search History

S54	22	S52 and (real-time and non-realtime)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 09:26
S55	0	S52 and (real-time and non-realtime) same prioritiz\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 09:28
S56	1	S52 and (real-time and non-realtime) same type	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 09:29
S57	3755	(packet message data datagram frame cell) with(identifier id identification\$1) with ((real-time (real adj time)) and non-(real-time (real adj time)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 09:55
S58	6899	(370/420,421,428,425,385,422,342,355.3,345.31,355.54).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/23 10:07
S59	10	S57 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 10:07
S60	5	scheduler with (identifier identification Id) with real-time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 10:14

EAST Search History

S61	14	scheduler with (identifier identification Id) same real-time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 10:18
S62	9	S61 not S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 10:19
S63	29741	(packet datagram telegram message) same ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 10:51
S64	492	S58 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 10:51
S65	390	S58 and S63 and (identif\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 10:55
S66	130	S58 and S63 and (identif\$4) with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 10:55
S67	2	"20040198325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 12:33

EAST Search History

S68	37604	((packet cell frame datagram data message) with header) same (table map\$4 buffer classif\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 12:51
S69	1935	((packet cell frame datagram data message) with header) same (table map\$4 buffer classif\$6) with index	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 12:51
S70	6029	((packet cell frame datagram data message) with header) same (table map\$4 buffer classif\$6) with (index pointer specifier identifier)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 12:51
S71	127	S58 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 12:52
S72	85	S71 and @ad<"20011017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 12:52
S73	0	S58 and S70 and (jump adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 13:23
S74	5	((packet cell frame datagram data message) with header) same (table map\$4 buffer classif\$6) with (jump adj address)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 13:24

EAST Search History

S75	1458	((packet cell frame datagram data message) with header) same (table map\$4 buffer classif\$6) with (index pointer specifier identifier) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 14:02
S76	5	((packet cell frame datagram data message) with header) same (table map\$4 buffer classif\$6) with (index pointer specifier identifier) with address with (real-time (real adj time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 14:04
S77	5	S76 not S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 14:05
S81	10795	((packet cell frame datagram data message) with header) same (table map\$4 buffer classif\$6) with (point\$3 index\$3 indicat\$3 list\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 14:14
S82	5702	S81 and @ad<"20011017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 14:18
S83	1898	S82 and (real-time (real adj time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 14:18
S84	76	S82 and (real-time (real adj time)) same ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 14:19

EAST Search History

S85	12391	((packet cell frame datagram data message) with header) same (table map\$4 buffer classif\$6) with (address location identifier pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 17:27
S86	6963	((packet cell frame datagram data message) with header) with(table map\$4 buffer classif\$6) with (address location identifier pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 17:28
S87	531	((packet cell frame datagram data message) with header) with(table map\$4 buffer classif\$6) with (address location identifier pointer) with (transmission transmit\$4) with (receiv\$4 reception)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 17:35
S88	240	S87 and @ad<"20011017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 17:38
S89	1	S88 and real-time and non-real-time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 17:39
S90	21	((packet cell frame datagram data message) with header) with(table map\$4 buffer classif\$6) with (address location identifier pointer) with (transmission transmit\$4) with (receiv\$4 reception) with (lookup (look\$3 adj up) look-up)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 17:41
S91	14	((packet cell frame datagram data message) with header) with(table map\$4 buffer classif\$6) with (address location identifier pointer) with (transmission transmit\$4) with (receiv\$4 reception) with ((lookup (look\$3 adj up) look-up) near2 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 17:42

EAST Search History

S92	7	S90 not S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 17:50
S93	13	(transmit\$3 transmission) with (receiv\$3 reception) with (table near2(look\$3 adj up)) with (pointer identifier identify ID separator selector divider index) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 08:33
S94	42001	((table near2(look\$3 adj up)) search\$3 locat\$3 assign\$4 assignment) with (pointer identifier identify ID separator selector divider index) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 08:51
S96	2031	((table near2(look\$3 adj up)) search\$3 locat\$3 assign\$4 assignment) with (pointer identifier identify ID separator selector divider index) with address same(transmit\$3 transmission) with(receiv\$3 reception)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 08:52
S99	6	((table near2(look\$3 adj up)) search\$3 locat\$3 assign\$4 assignment) with (pointer identifier identify ID separator selector divider index) with address with (transmit\$3 transmission) with(receiv\$3 reception) with ((real-time (real adj time)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 08:55
S10 0	0	((table near2(look\$3 adj up)) search\$3 locat\$3 assign\$4 assignment) with (pointer identifier identify ID separator selector divider index) with address with (transmit\$3 transmission) with(receiv\$3 reception) same ((real-time (real adj time))) and (non-realtime non-real-time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 08:58

EAST Search History

S10 1	9	((table near2(look\$3 adj up)) search\$3 locat\$3 assign\$4 assignment) with (pointer identifier identify ID separator selector divider index) with address with (transmit\$3 transmission) with(receiv\$3 reception) same ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 08:58
S10 2	2035	((table near2(look\$3 adj up)) search\$3 locat\$3 assign\$4 assignment) with (pointer identifier identify ID separator selector divider index\$3) with address same(transmit\$3 transmission) with(receiv\$3 reception)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 09:04
S10 3	9	((table near2(look\$3 adj up)) search\$3 locat\$3 assign\$4 assignment) with (pointer identifier identify ID separator selector divider index\$3) with address with (transmit\$3 transmission) with(receiv\$3 reception) same ethernet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 09:05
S10 4	70983	((table near2(look\$3 adj up)) search\$3 locat\$3 assign\$4 assignment) with (pointer identifier identify ID separator selector divider index) and (real-time (real adj time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 09:19
S10 5	1833	((table near2(look\$3 adj up)) search\$3 locat\$3 assign\$4 assignment) with (pointer identifier identify ID separator selector divider index) with (transmit\$3 transmission) with (receiv\$3 reception)and (real-time (real adj time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 09:20
S10 6	232	((table near2(look\$3 adj up)) search\$3 locat\$3 assign\$4 assignment) with (pointer identifier identify ID separator selector divider index) with (transmit\$3 transmission) with (receiv\$3 reception) with address and (real-time (real adj time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 09:21

EAST Search History

S10 7	96	S106 and @ad<"20011017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 09:22
S10 8	272	((table near2(look\$3 adj up)) map\$4 search\$3 locat\$3 assign\$4 assignment) with (pointer identifier identify ID separator selector divider index) with (transmit\$3 transmission) with (receiv\$3 reception) with address and (real-time (real adj time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 09:29
S10 9	126	S108 and @ad<"20011017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 09:30
S11 0	30	S109 not S107	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 09:30
S11 2	6900	(370/420,421,428,425,385,422,342, 355.3,345.31,355.54).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/24 09:56
S11 6	24001	((packet cell frame datagram) with header) same (table map\$4 buffer classif\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 10:10
S11 7	553	S112 and S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 10:10

EAST Search History

S11 8	331	S117 and @ad<"20011017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 10:11
S11 9	2	"20040198325"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 14:59
S12 0	4	(US-20020064128-\$ or US-20020012340-\$).did. or (US-6768717-\$ or US-6850513-\$). did.	US-PGPUB; USPAT	OR	ON	2008/01/24 15:00
S12 1	1	S120 and period	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:47
S12 2	24001	((packet cell frame datagram) with header) same (table map\$4 buffer classif\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:53
S12 3	6900	(370/420,421,428,425,385,422,342, 355.3,345.31,355.54).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	OFF	2008/01/24 15:54
S12 4	553	S123 and S122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:54

EAST Search History

S12 5	331	S124 and @ad<"20011017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 15:54
S12 6	578	((packet cell frame datagram) with header) same (table map\$4 buffer classif\$6) with (cycle period)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 16:21
S12 7	18	S126 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 16:22
S12 8	13	S127 and @ad<"20011017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 16:22
S12 9	0	((packet cell frame datagram) with header) same (table map\$4 buffer classif\$6) with (cycle period) with nth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 16:55
S13 0	25	((packet cell frame datagram) with header) same (table map\$4 buffer classif\$6) with (cycle period) with counter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 16:56
S13 1	18	S130 and @ad<"20011017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 16:56

EAST Search History

S13 2	2	((packet cell frame datagram) with header) same (table map\$4 buffer classif\$6) with (cycle period) with counter same mask	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/24 17:48
S13 3	25	((packet cell frame datagram) with header) same (table map\$4 buffer classif\$6) with (cycle period) with counter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 14:07
S13 4	6	((packet cell frame datagram) with header) same (table map\$4 buffer classif\$6) with (cycle period) with counter with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 14:08
S13 5	0	((packet cell frame datagram) with header) same (table map\$4 buffer classif\$6) with (cycle period) with counter with address with (jump skip jerk move bypass pass)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 14:18
S13 6	1	((packet cell frame datagram) with header) same (table map\$4 buffer classif\$6) with (cycle period) with counter with address same (jump skip jerk move bypass pass)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/25 14:19